

CUTTING TOOL ENGINEERING®

September 2017 | Vol. 69 | Issue 9

www.ctemag.com

TAPERING OFF

Steep-taper spindle and toolholder use slows
as alternative designs gain popularity



Also in this issue

- Root out plant waste and redundancies, grow profits
- Shop develops detailed holmaking strategy for superalloy workpieces
- High-pressure coolant systems break through productivity barriers
- Aero-parts maker replaces coolant with air-oil
- **PLUS:** Machine Technology
Shop Operations, Machinist's Corner
Get with the Program



Your Authorized DropsA Distributor:



**AUTOMATIC
LUBE SYSTEMS**


Automatic Lube Systems, Inc.

P.O. Box 1311
Southwick, MA 01077

P 844-LUBE-SYS / 844-582-3797

AUTOMATICLUBESYSTEMS.COM
sales@automaticlubesystems.com

Serving New England and Eastern NY



All images: Visonneering

An aerospace tool on the floor of Visonneering's 182,000-sq.-ft. facility in Auburn Hills, Mich.

DRIER RUN

Aerospace supplier opens new facility and adopts new way to apply coolant.

By Michael C. Anderson

Nothing stands still at Visonneering Inc., and its employees know they need to be ready to adapt to change.

The Auburn Hills, Mich., designer, manufacturer and installer of complex tooling assemblies for the aerospace, defense and space-systems industries got its start in 1953 as an automotive tooling supplier. By 1998, Visonneering had transformed into a full-service design and build company, primarily servicing the aerospace community.

As the aerospace industry has evolved to work with composites and difficult-to-machine materials such as Invar, the equipment that makes the components has become bigger and more complex.

By 2013, the company's assets were spread

across three facilities in Fraser, Mich., creating delays and inefficiencies as jobs moved between departments in different facilities. The company's response was to build a building large enough to house all of its departments while improving capabilities by adding larger machines.

The 182,000-sq.-ft. facility was completed in 2015. Vice president of business development Matt Elmes said manufacturing space increased by 125 percent. It features five 400'-long (122m) bays that range from 60' to 80' (18.3m to 24.4m) wide: two for fabrication, one for machining and two for assembly.

New Machines, New Processes

Equipment at the new facility includes two new large-table Innse Berardi contour milling machines. The larger of the two



machines is a dual-gantry, 5-axis system with a machining envelope of 975"×273"×117" (24.8m × 6.9m × 3.0m). The other machine features a single gantry and a 390"×234"×117" (9.9m × 5.9m × 3.0m) work envelope. Both are accurate to ±0.002" (0.051mm).

Last year, the company put the dual-gantry machine to the test by manufacturing three Boeing 777X vent stringer lay-up molds—two 108' (32.9m) tools and one 88' (26.8m) tool. "The tooling

requirements were so large that the stringers had to be constructed out of multiple Invar pieces and welded together prior to finish-machining the tool surface," Elmes said.

The machine operators used the

improvement is a daily concern for everyone here."

Finnigan described a culture that values open communication among different departments and hierarchies of the company. With-

'The CEO is regularly on the floor, I'm on the floor, and there's an ongoing dialogue with the operators.'

dual-gantry spindles simultaneously during the final machining phase of producing the stringer tooling. "By using the dual-gantry machine, we were able to machine each half of the tool at the same time," cutting machining time in half on a date-critical program, Elmes said.

Visioneering Machine Shop Manager Elmo Finnigan said operators are committed to finding ways to improve processes. "Continuous

out labeling it a gemba walk, he noted that "the CEO is regularly on the floor, I'm on the floor, and there's an ongoing dialogue with the operators."

While the company has conducted lean training and kaizen events, he said the emphasis is not on Toyota-inspired activities such as gemba, but rather on an atmosphere where anyone can speak up and everyone will listen to make things better. "Everyone feels



Michael C. Anderson is senior editor of CTE. Contact him at (734) 606-9673 or mike@jwr.com.



**Join DropsA USA
at Booth # 503**

- Click on the link below to receive a complementary three day show pass
- Visit DropsA USA's booth for a chance to win three Amazon gift cards valued up to \$500 each.



PRODUCT PREVIEW

MIQUEL

**MQL Product Line
for External
Applications**



Reservoir: 1Lt. / 3 Lt.

Number of pumping
outlets: 1 - 8

Versions:

- Base (Standard)
- Pro (Oil Compensation Valve)
- Intelligence (Both)
(24V DC Solenoid Valve)

vested in our successes."

That communication style extends to the supply chain. "Our tooling suppliers regularly deal with me, but when they come into the shop, they go directly to the guys in charge of the different machines," Finnigan added.

Going Dry

Visioneering has repeatedly been recognized by its aerospace OEM customers for its quality and delivery practices, for which the company credits its workers. But the best demonstration of how the team communicates and learns may not be with new equipment but with its older gear. That's according to Steven Schienke, Visioneering's maintenance manager, who put everyone—including Finnigan—to the test by getting the company to stop applying coolant in conventional ways.




This Innse Berardi contour milling machine has a machining envelope of 975"×273"×117".

Visioneering routinely cuts aluminum, stainless steel, carbon steel, Invar and copper. The shop has 15 machining centers, ranging from the big Innse Berardis to "our little 5' Hurcos," he said. At the compa-

ny's old facility, the machines were set up for traditional through-spindle, external coolant or both.

As the person charged with machine maintenance, Schienke was well aware of the challenges



DropsA USA
6645 Burroughs Ave.
Sterling Heights, MI 48314

PH: (586) 566-1540
FAX: (586) 566-1541
mqlmachining.com

Eliminate coolant replacement, filtration, and disposal costs

- Create a healthier, cleaner work place
- Increase tool Life
- Reduce down time
- Improve operational processes by reducing tool failures
- Increase the overall quality of the finished product

Miquel

"External Applications"



Our MiQueL is the champion of all external lubrication applications. It is best utilized for saw cutting, drill presses, e-mills, stamping and metal forming.

MKD

"Through Tool Applications"



Our MKD is the industry flagship for through-the-tool lubrication. This system creates an aerosol mixture that is sent through the spindle across the tool's cutting edge. This unit can be adapted to any machine that has through coolant capabilities.



Miquel

The Miquel, available in 1 LT. or 3 LT. capacity, offers the advantages of near-dry machining in a compact, highly durable pump application. Utilized for external lubrication needs, this low maintenance (no moving parts!) application can be retrofitted to a machine's existing coolant piping, making installation simple. Its modular design allows for the addition, removal, or replacement of pumping elements with ease. A standard unit can be assembled with up to eight pumping outlets to cover a wide range of lubrication requirements. A variety of elements, which can include a compensation valve, independent solenoid control, or both can be mixed and matched to provide the optimal MQL solution.

The MKD product line offers the advantages of near-dry machining to through-the-tool; internal lubrication processes by generating a thin film of aerosol mixture. These sub-micron air-oil particles are brought directly to the tool's cutting edge by utilizing the existing fluid distribution channels found in most tooling. Unique to all MQL solutions, The MKD's Dual Venturi aerosol generator will automatically compensate and auto regulate flow as various sized tooling is utilized, thus avoiding deterioration of the aerosol and unnecessary lubricant waist. The MKD unit is provided with two outlets which can be supplied with electro-pneumatically controlled ball valves. An existing fluid delivery system is all that is necessary and no additional plumbing is required for simple installation. The DropsA MKD has effectively and efficiently, been utilized for deep hole drilling requirements up to, but not limited to, 18 inches.



MKD



Oil in Air Sensor


The Oil in Air Sensor effectively measures the amount of oil present in an air stream. The Oil in Air Sensor utilizes twin sensing heads, positioned perpendicular of each other, at the ports of the device to optically sense passing oil particles. The sensor when positioned inline of an MQL system provides real time feedback to a PLC or other control source. Include the assurances, and valuable feedback, of an advanced monitoring device in your MQL solution.



Drier Run

associated with coolant. "Using coolant required constant maintenance—skimming oil off of it, keeping the pH right," he said. "The guys were getting rashes, and it smelled. And the operators would often have problems with their injector-style lubrication setups."

Coolant would drip and sometimes get under the way covers and into the bearings, Schienke added.



The DropsA MQL system on a Innse Berardi milling machine.

"Those seals don't last forever. On my Hurcos, if I pulled back the covers, I'd sometimes see a swimming pool. I thought, 'There's got to be a better way.'"

Schienke wanted to try a system without injectors or moving parts. As an experiment, he worked with lubrication-system company DropsA USA, Sterling Heights, Mich., to equip a couple of machines with a minimum-quantity-lubrication, or air-oil, system, which operators could try while retaining the option of applying coolant.

Schienke said he noticed that the operators using the machines that were set up with both systems tended to stick to traditional coolant for roughing and general-purpose cutting, but "they would always use air-oil whenever they wanted their finish cut to be its best."

After observing this pattern for a while, he thought, "If we're getting a better finish with it, why not use air-oil all the time—for every cut?"

Not a Mist

DropsA product specialist Jason Craft emphasized that unlike air oil systems such as DropsA's, mist-lubrication systems pulverize the lubricant. "When you say 'mist' in Detroit, you will be walked out of the building," he said, adding that parts

manufacturers believe they will then need mist collectors and other auxiliary equipment. "We've been fighting that confusion for a long time."

MQL systems have much more finesse, he said, whether they are an external or through-spindle system. DropsA's MQL system transforms the lubricating oil into an aerosol made up of droplets no larger than 0.5µm in diameter.

"If the droplets aren't that small, they get pushed together and you get big drops" that will create a mess, Craft said. But when that 0.5µm size is maintained, the result is an easily directed, minimal spray entirely consumed by the lubricating process, and the air stays clear.

In a through-tool MQL system, the aerosol spray goes right into the cut and no farther before it burns away, he said. In the external system, "the oil is a solid in the tube, and the air is there to push it down at a constant velocity." In each system, "your unit is metering the amount of oil, and it's a very small amount."

To better evacuate chips in deep pockets, Schienke added a second

air line that blows out the dry chips.

Getting Operator Buy-in

"Visioneering was unusual in the way that they were open-minded enough to work with us to solve chip issues," Craft said. "It's a whole journey: getting the unit; getting the air adjusted so that it's clean, dry air; using the right oil;

getting the tools and toolholders changed around; getting the machine prepped; and then getting your operators involved."

Schienke's challenge was to first convince Finnigan, and the operators of the modified machines, to let go of a decades-long practice and give MQL a fair shake.

"That was the biggest battle,



The challenge in developing MQL was in getting it to be easily adapted to all kinds of cutting equipment, said DropsA's Jason Craft. Here, an external MQL system has been added to a bandsaw at Visioneering.



DropsA USA Warehouse - Sterling Heights, MI

DropsA USA stocks over \$1.5 Million in lubrication equipment, components, and accessories.

myself included," Finnigan said. "Those operators didn't see their coolant and all they could think was, 'I'm going to be breaking tools.'"

"The first guy whose machine was changed over to the MQL system, he wasn't really happy about it at first," Craft recalled.

However, the Visioneering culture of open minds and open communication prevailed, according to Schienke and Finnigan.

"The machine operators like that they can see the job—there isn't all of that spray in the way. And the table is dry, the chips are dry," Schienke said.

"This change wasn't pushed on us from the top of the company," Finnigan said. "It came from middle management and from buy-in from us, Steve [Schienke] and I, and the operators. We put it on a unit, brought people over and showed them how it worked. That's what it took. Once you get through the transition, our experience was that tool life is better, your part finish is better, and the bronchial problems, the hand irritation, the rashes, all those were eliminated. It didn't need to be forced down anybody's throat."



Visioneering Maintenance Manager Steven Schienke has replaced traditional coolant systems with air-oil systems on machines such as the one he's pointing to.

For more information about Visioneering Inc., call (248) 622-5600 or visit www.vistool.com.

CTE

A photograph of a single-story brick building with a large glass entrance. In the foreground, there is a green lawn and a concrete sidewalk. A large sign on the lawn reads "DropsA USA Inc. DropsA Lubrication Systems" and "6645". A tree with white blossoms is to the right of the building. In the bottom left corner, there is contact information for DropsA USA. In the bottom right corner, there is contact information for Automatic Lube Systems, Inc. In the bottom center, there is a logo for Automatic Lube Systems.

DropsA USA
Sterling Heights, MI
MQLmachining.com
(586) 566-1540

Automatic Lube Systems, Inc.
P.O. Box 1311
Southwick, MA 01077
P 844-LUBE-SYS / 844-582-3797
AUTOMATICLUBESYSTEMS.COM
sales@automaticlubesystems.com

AUTOMATIC LUBE SYSTEMS